

SAFETY DATA SHEET

ISK BIOCIDES, INC.

SECTION 1: Identification

Product identifier: Sta Brite® P.
Other means of identification: None.
SDS number: ISK002
Recommended use: Controls sapstain and mold in freshly cut lumber and timber after dilution with water.
Recommended restrictions: None known.
Manufacturer/Importer/Supplier/Distributor information:
Company name: ISK Biocides, Inc.
Address: 416 East Brooks Road,
Memphis.
TN 38109.
Telephone: Office hours (Mon – Fri)
7:00 – 4:30pm (Central time).
(901) 344-5350 or (800) 248-7961.
Contact Person: Anthony Accampo or Gail Watson
E-mail: SDSInquiry@iskbiocides.com
Emergency phone number: Chemtrec (800) 424-9300 (24 hours).

SECTION 2: Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

Physical hazards

Flammable Liquid Category 3.

Health hazards

Acute Toxicity Oral, Category 4.

Skin corrosion Category 1B.

Serious eye damage Category 1.

Germ Cell Mutagenicity Category 1B.

Carcinogenicity Category 1B.

Environmental hazards

Acute aquatic toxicity Category 1.

Chronic aquatic toxicity Category 1.

Signal word: DANGER

Hazard statement(s): Flammable liquid and vapor.
Harmful if swallowed.
Causes severe skin burns and eye damage.
Causes serious eye damage.

May cause genetic defects.
May cause cancer.
Very toxic to aquatic life.
Very toxic to aquatic life with long lasting effects.

Hazard symbol(s):



Precautionary statement(s):

Prevention:

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Keep away from heat/sparks/open flames/hot surfaces - No smoking.
Keep container tightly closed.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/light/equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Do not breathe dust/fume/gas/mist/vapors/spray.
Wash hands thoroughly after handling.
Avoid release to the environment.
Wear protective gloves/protective clothing/eye protection/face protection.
Do not eat, drink or smoke when using this product.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.
Immediately call a POISON CENTER or doctor/physician.
Specific treatment is urgent (see supplemental first aid instructions on this label).
Wash contaminated clothing before reuse.
In case of fire: Use appropriate media for extinction.
Collect spillage.

Storage: Store in a well-ventilated place. Keep container tightly closed.

Disposal: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations.

Hazard(s) not otherwise Classified (HNOC): None known.

Percentage of ingredient(s) of unknown acute toxicity:

48.7% of the mixture consists of ingredients of unknown acute toxicity (oral).

95.8% of the mixture consists of ingredients of unknown acute toxicity (dermal).

94.6% of the mixture consists of ingredients of unknown acute toxicity (inhalation).

SECTION 3: Composition/information on ingredients

Mixture:

Chemical name	Concentration (weight %)	CAS#
Propylene glycol monomethyl ether	9.95 – 10%	107-98-2
Proprietary Acid 1	5 -10%	Proprietary
Proprietary Acid 2	0 – 5%	Proprietary
Proprietary Component 1	10 – 20%	Proprietary
Proprietary Component 2	40 – 50%	Proprietary
3-Iodo-2-propynyl butyl carbamate	4.5 – 7.5%	55406-53-6
Solvent naphtha, petroleum, light aromatic	1.5 – 4.5%	64742-95-6
1,2,4-trimethylbenzene	1 – 2%	95-63-6
1,3,5-trimethylbenzene	0 – 1%	108-67-8
Dimethyl sulfoxide	1.5 – 3%	67-68-5

The specific chemical identity and/or exact percentage (concentrate) of composition has been withheld under trade secret rights.

SECTION 4: First-aid Measures

Inhalation: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or physician for further treatment advice.

Skin contact: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for treatment advice.

Eye contact: Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or physician for treatment advice.

Ingestion: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or physician. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

Most important symptoms/effects, acute and delayed: Corrosive to eyes. Can produce corneal damage, including iridal and conjunctival effects. Can cause gastrointestinal irritation, nausea, vomiting, and diarrhea. Can cause nasal and respiratory irritation, dizziness, nausea, vomiting, headache, and weakness. Excessive breathing of vapors may result in unconsciousness, and possibly death. May cause severe irritation to upper respiratory tract. Severely irritating. Can produce severe erythema, edema, and necrosis. Prolonged or repeated contact may result in itching, defatting, and dermatitis. Persons with pre-existing eye or skin disorders, liver or kidney impairments, may be more susceptible.

Indication of immediate medical attention and special treatment needed: If any symptoms described above are noted, contact a physician and give them this SDS sheet.

SECTION 5: Fire-fighting measures

Suitable extinguishing media: Use water spray, dry chemical, foam, or carbon dioxide to extinguish flames. Use water spray to cool fire exposed containers. Water or foam may cause some foam and frothing.

Unsuitable extinguishing media: None known.

Specific hazards arising from the chemical: Thermal decomposition may produce toxic fumes.

Hazardous combustion products may include: Carbon monoxide, carbon dioxide, Nitrogen, Phosphine fumes, and irritating iodine vapors.

Special protective equipment and precautions for fire-fighters: Wear special chemical protective clothing and positive pressure self-contained breathing apparatus. Approach fire from upwind to avoid hazardous vapors and toxic decomposition products. Decontaminate or discard any clothing that may contain chemical residue.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Wear respiratory protection. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

Methods and materials for containment and cleaning up:

SMALL SPILL: Wear appropriate protective clothing (see Section 8). Recover free liquid. Absorb remainder with sand or clay and place in a waste receptacle.

LARGE SPILL: Wear appropriate protective clothing (see Section 8). Restrict access to contaminated area. Stop spill at source. Dike to prevent spreading. Pump liquid to a recovery vessel. Absorb remainder of material with sand or clay and place in a properly labeled waste receptacle. Follow all local, state, and federal regulations for disposal. Do not contaminate water while cleaning equipment or disposing of wastes. Prohibit contamination of streams, lakes, or other bodies of water.

SECTION 7: Handling and Storage

Precautions for safe handling: Observe good personal hygiene practices. Change protective gloves/clothing when signs of contamination appear. Keep out of reach of children. Avoid getting this material into contact with your skin and eyes. Use this product with adequate ventilation. Read and follow the directions on the product label; they are the best guide to using this product in the most effective way, and give the necessary safety precautions to protect your health.

Conditions for safe storage, including any incompatibles: Store away from food or feed in a secure, well-ventilated area. Protect from extreme temperatures. Do not transfer to an unmarked container. Keep container closed when not in use. (See Section 10 for incompatibles).

SECTION 8: Exposure controls/personal protection

Control Parameters:

Occupational exposure limits:

US OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200): Permissible Exposure Limits		
Substance	PEL-TWA (8 hour)	PEL-STEL (15 min)
Propylene glycol monomethyl ether	Not available	Not available
Proprietary Acid 1	Not available	Not available
Proprietary Acid 2	Not available	Not available
Proprietary component 1	Not available	Not available
Proprietary component 2	Not available	Not available
3-Iodo-2-propynyl butyl carbamate	Not available	Not available

Solvent naphtha, petroleum, light aromatic	Not available	Not available
1,2,4-trimethylbenzene	Not available	Not available
1,3,5-trimethylbenzene	Not available	Not available
Dimethyl sulfoxide	Not available	Not available

ACGIH Threshold Limit Values		
Substance	TLV-TWA (8 hour)	TLV-STEL (15 min)
Propylene glycol monomethyl ether	100 ppm	150 ppm
Proprietary Acid 1	Not available	Not available
Proprietary Acid 2	Not available	Not available
Proprietary component 1	Not available	Not available
Proprietary component 2	Not available	Not available
3-Iodo-2-propynyl butyl carbamate	Not available	Not available
Solvent naphtha, petroleum, light aromatic	Not available	Not available
1,2,4-trimethylbenzene	Not available	Not available
1,3,5-trimethylbenzene	200 ppm	250 ppm
Dimethyl sulfoxide	Not available	Not available

Other Exposure Limits: Propylene glycol monomethyl ether NIOSH TWA – 100 ppm (360 mg/m³), STEL – 150 ppm (540 mg/m³).
(National Institute for Occupational Safety and Health).

1,2,4-trimethylbenzene NIOSH TWA 25 ppm (125 mg/m³).
(US NIOSH Recommended Exposure Limits (RELs)).

1,3,5-trimethylbenzene NIOSH TWA – 200 ppm (260 mg/m³),
STEL – 250 ppm (325 mg/m³).
(National Institute for Occupational Safety and Health).

Dimethyl Sulfoxide WEEL TWA 250 ppm.
(USA Workplace Environmental Exposure Levels (WEEL))

Appropriate engineering controls: Ventilate via mechanical methods (general or local exhaust) to maintain exposure below TLV(s), if applicable. Good industrial hygiene practice dictates that indoor work areas should be isolated and provided with adequate local exhaust ventilation.

Individual protection measures, such as personal protective equipment:

Eye/face protection: Wear chemical goggles or face shield.

Skin and Hand protection: Wear impervious gloves, such as: Nitrile Rubber, Neoprene, PVA, PVC, or NBR(Buna-N). Special precautions should be taken to ensure that material cannot get inside gloves.

Respiratory protection: Airborne concentrations should be kept at the lowest possible levels. If vapor, mist or dust is generated and the occupational exposure limit of the product, or any component of the product, is exceeded, use appropriate NIOSH or MSHA approved air purifying or air supplied respirator after determining the airborne concentration of the contaminant. Air supplied respirators should always be worn when airborne concentration of the contaminant or oxygen content is unknown.

Other: Impervious boots (nitrile rubber/neoprene/PVC), aprons, hats, or chemical suits should be worn when necessary to prevent skin contact. Safety showers and eyewash stations should be provided in all areas in which this product is stored and/or handled. Persons exposed routinely to this material should shower prior to leaving work each day. Work clothing should be changed daily.

Thermal hazards: None known.

SECTION 9: Physical and chemical properties

Appearance:

Physical state: Liquid.
Form: Clear light yellow to brown liquid.
Color: Clear light yellow to brown.

Odor: Mild amine.
Odor threshold: Not available.

pH: 6.0 – 7.0

Melting point/freezing point: Not known.

Initial Boiling point/Boiling Range: 200 °F.

Flash point: 122 °F.

Evaporation rate: < 1 (nBuAC=1)

Flammability (solid, gas): Not available.

Upper/lower flammability or explosive limits

Flammability limit – lower: Not Determined.

Flammability limit – upper: Not Determined.

Explosive limit – lower: Not Determined.

Explosive limit – upper: Not Determined.

Vapor pressure: Unknown.

Vapor density: > 1

Relative density (Specific gravity): 0.97

Solubilities (water, other): Miscible.

Partition coefficient (n-octanol/water): Not available.

Auto-ignition temperature: Not known.

Decomposition temperature:	Not available.
Viscosity:	90 - 130 cPs Brookfield #1 @ 20 rpm at 70°F.
Other information:	
Bulk density:	8.08 (weight per gallon cup) lbs per gal.
VOC:	258 g/L – 2.15 lbs/gal – 26.7 weight %

SECTION 10: Stability and Reactivity

Reactivity: Stable.

Chemical stability: This material is stable under normal handling and storage conditions.

Possibility of hazardous reactions: Material is not known to polymerize.

Conditions to avoid: Strong oxidants.

Incompatible materials: Acid, Strong Oxidants.

Hazardous decomposition Products: Oxides of Carbon, Nitrogen, Phosphine fumes, and irritating iodine vapors.

SECTION 11: Toxicological information

Information on likely routes of exposure:

Inhalation: Can cause nasal and respiratory irritation, dizziness, nausea, vomiting, headache, and weakness. Excessive breathing of vapors may result in unconsciousness, and possibly death. May cause severe irritation to upper respiratory tract.

Ingestion: Can cause gastrointestinal irritation, nausea, vomiting, and diarrhea.

Skin: Severely irritating. Can produce severe erythema, edema, and necrosis. Prolonged or repeated contact may result in itching, defatting, and dermatitis. Slight irritation and reddening of the skin may occur at dilutions greater than 1:100. Non sensitizer.

Eye: Corrosive to eyes. Can produce corneal damage, including iridal and conjunctival effects.

Symptoms related to the physical, chemical, and toxicological characteristics: None known.

Delayed and immediate effects and chronic effects from short or long-term exposure: None known.

Acute toxicity:
Ingredient Information:

Substance	Test Type (species)	Value
Propylene glycol monomethyl ether	LD ₅₀ Oral (Mouse)	11,700 mg/kg
	LD ₅₀ Dermal (Rabbit)	13,000 mg/kg
	LC ₅₀ Inhalation, Vapor (Rat)	10000 ppm (5h)
Proprietary Acid 1	LD ₅₀ Oral (Rat)	Not available
	LD ₅₀ Dermal (Rabbit)	Not available
	LC ₅₀ Inhalation, (Rat)	Not available
Proprietary Acid 2	LD ₅₀ Oral (Rat)	Not available
	LD ₅₀ Dermal (Rabbit)	Not available
	LC ₅₀ Inhalation, (Rat)	Not available
Proprietary component 1	LD ₅₀ Oral (Rat)	4,000 mg/kg
	LD ₅₀ Dermal (Rabbit)	Not available
	LC ₅₀ Inhalation, (Rat)	Not available
Proprietary component 2	LD ₅₀ Oral (Rat)	Not available
	LD ₅₀ Dermal (Rabbit)	Not available
	LC ₅₀ Inhalation, (Rat)	Not available
3-Iodo-2-propynyl butyl carbamate	LD ₅₀ Oral (Rat)	Not available
	LD ₅₀ Dermal (Rabbit)	Not available
	LC ₅₀ Inhalation, (Rat)	Not available
Solvent naphtha, petroleum, light aromatic	LD ₅₀ Oral (Rat)	>14000 mg/kg
	LD ₅₀ Dermal (Rabbit)	>2000 mg/kg
	LC ₅₀ Inhalation, (Rat)	6000 - 10000 mg/m ³ (4h)
1,2,4-trimethylbenzene	LD ₅₀ Oral (Rat)	5,000 mg/kg
	LD ₅₀ Dermal (Rabbit)	18,000 mg/m ³ (4h)
	LC ₅₀ Inhalation, (Rat)	Not available
1,3,5-trimethylbenzene	LD ₅₀ Oral (Rat)	5000 mg/kg
	LD ₅₀ Dermal (Rabbit)	Not available
	LC ₅₀ Inhalation, (Rat)	24000 mg/m ³ (4h)
Dimethyl sulfoxide	LD ₅₀ Oral (Rat)	14500 mg/kg
	LD ₅₀ Dermal (Rabbit)	> 5000 mg/kg
	LC ₅₀ Inhalation, (Rat)	40250 ppm (4h)

Product Acute Toxicity Estimates:

Oral: Rat - LD₅₀ - 866 mg/kg.
Dermal: Rabbit - LD₅₀ - > 2020 mg/kg.
Inhalation: Rat - LC₅₀ - 0.79 mg/l.

Skin corrosion/irritation: May be severely irritating to skin.

Serious eye damage/eye irritation:	Corrosive to eyes causing corneal damage, iridal and conjunctival effects.
Respiratory sensitization:	Based upon information available on the known components, the product is not anticipated to cause respiratory sensitization.
Skin sensitization:	Based upon information available on the known components, the product may cause skin sensitization based upon animal toxicity studies.
Germ cell mutagenicity:	Based upon information available on the known components, Solvent naphtha, petroleum, light aromatic is suspected of causing germ cell mutagenicity.
Carcinogenicity:	Based upon information available on the known components, Solvent naphtha, petroleum, light aromatic is suspected of having a carcinogenic effect, although is not found currently on IARC, NTP or OSHA carcinogen lists.
Reproductive toxicity:	Based upon information available on the known components, the product is not anticipated to have reproductive toxicity.
Specific target organ toxicity- Single exposure:	Based upon information available on the known components, the product may cause specific target organ toxicity to the respiratory system after a single exposure.
Specific target organ toxicity- Repeat exposure:	Based upon information available on the known components, the product is not anticipated to cause specific target organ toxicity after repeated or prolonged exposure.
Aspiration hazard:	Based upon information available on the known components, the product is not anticipated to be an aspiration hazard.
Further information:	Not available.

SECTION 12: Ecological information

Ecotoxicity

Product data: No data available.

Ingredient Information:

Substance	Test Type	Species	Value
Propylene glycol monomethyl ether	LC ₅₀	Fish	No data available
	EC ₅₀	Invertebrate	No data available
	EC ₅₀	Algae	No data available
Proprietary Acid 1	LC ₅₀	Fish	No data available
	EC ₅₀	Invertebrate	No data available
	LC ₅₀	Algae	No data available
Proprietary Acid 2	LC ₅₀	Fish	No data available
	EC ₅₀	Invertebrate	No data available
	EC ₅₀	Algae	No data available
Proprietary component 1	LC ₅₀ Lepomis macrochirus (Bluegill)	Fish	> 10 mg/l - 96h
	EC ₅₀	Invertebrate	No data available
	LC ₅₀	Algae	No data available
Proprietary component 2	LC ₅₀ Danio rerio (zebra fish)	Fish	0.1 – 1.00 mg/l - 96h
	EC ₅₀	Invertebrate	No data available
	EC ₅₀ Bacteria	Bacteria	13 mg/l
3-Iodo-2-propynyl butyl carbamate	LC ₅₀ Oncorhynchus mykiss (rainbow trout)	Fish	0.067 mg/l - 96h
	EC ₅₀ Daphnia magna (Water flea)	Invertebrate	0.04 mg/l - 48h
	LC ₅₀	Algae	No data available
Solvent naphtha, petroleum, light aromatic	LC ₅₀ Oncorhynchus mykiss (rainbow trout)	Fish	9.2 mg/l – 96h
	EC ₅₀ Daphnia magna (Water flea)	Invertebrate	100 mg/l – 48h
	LC ₅₀	Algae	No data available
1,2,4-trimethylbenzene	LC ₅₀ Pimephales promelas (fathead minnow)	Fish	7.72 mg/l - 96h
	EC ₅₀ Daphnia magna (Water flea)	Invertebrate	3.6 mg/l - 48h

	LC ₅₀	Algae	No data available
1,3,5-trimethylbenzene	LC ₅₀ Carassius auratus (goldfish)	Fish	12.52 mg/l – 96h
	EC ₅₀ Daphnia magna (Water flea)	Invertebrate	6 mg/l – 48h
	LC ₅₀	Algae	No data available
Dimethyl sulfoxide	LC ₅₀ Pimephales promelas (fathead minnow)	Fish	34000 mg/l - 96 h
	EC ₅₀ Daphnia pulex (Water flea)	Invertebrate	27500 mg/l
	LC ₅₀	Algae	No data available

Persistence and degradability: Not available.
Bioaccumulative potential: Not available.
Mobility in soil: Not available.
Mobility in general: Not available.
Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13: Disposal considerations

Disposal instructions:

If these wastes cannot be disposed of according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance. Open dumping is prohibited. Pesticide wastes are acutely hazardous. Do not reuse empty container. Triple rinse container (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

SECTION 14: Transport Information

DOT: UN 1268, Petroleum Products, n.o.s. (Naptha), 3, PG II
IATA: UN 1268, Petroleum Products, n.o.s. (Naptha), 3, PG II.
IMDG: UN 1268, Petroleum Products, n.o.s. (Naptha), 3, PG II

Special precautions during transport: Not available.

Bill of lading classification = Preservatives, wood, n.o.i NMFC 161490, sub 2

SECTION 15: Regulatory Information

USA:

FIFRA: Pesticide Registration:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals.

Following is the hazard information as required on the pesticide label:

DANGER

Harmful if swallowed or absorbed through the skin.

Corrosive. Causes skin burns.

Corrosive. Causes irreversible eye damage.

This pesticide is toxic to fish.

Combustible

United States Federal Regulations: SDS complies with the OSHA, 29 CFR 1910.1200.

SARA Superfund and Reauthorization Act of 1986 Title III sections 302, 311,312 and 313:

Section 302 – None of the chemicals are EPCRA hazards.

CERCLA/Superfund, 40 CFR 117, 302: Not listed.

CHEMICAL	C.A.S. Number	Weight %	Section 311/312
Propylene glycol monomethyl ether	107-98-2	9.95 – 10%	Fire Hazard, Acute Health Hazard, Chronic Health Hazard
Proprietary Acid 1	Proprietary	5 -10%	Acute Health Hazard
Proprietary Acid 2	Proprietary	0 – 5%	Acute Health Hazard
Proprietary component 1	Proprietary	10 – 20%	Acute Health Hazard
Proprietary component 2	Proprietary	40 – 50%	Acute Health Hazard
3-Iodo-2-propynyl butyl carbamate	55406-53-6	4.5 – 7.5%	Not listed
Solvent naphtha, petroleum, light aromatic	64742-95-6	1.5 – 4.5%	Fire Hazard, Acute Health Hazard
1,2,4-trimethylbenzene	95-63-6	1 – 2%	Fire Hazard
1,3,5-trimethylbenzene	108-67-8	0 – 1%	Fire Hazard
Dimethyl sulfoxide	67-68-5	1.5 – 3%	Fire Hazard, Chronic Health Hazard

Section 313 – List of Toxic Chemicals (40CFR 372): This product contains the following components (at level of 1% or greater) found on the 313 list of Toxic Chemicals. 3-Iodo-2-propynyl butylcarbamate, 1,2,4-Trimethylbenzene.

Toxic Substance Control Act (TSCA): All substances are TSCA listed.

Federal Water Pollution Control Act, Clean Water Act, 40 CFR 401.15 (formerly section 307) 40 CFR 116 (formerly section 311): This product does not contain listed chemicals.

STATE REGULATIONS:

This SDS contains specific health and safety data is applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.

California Proposition 65: WARNING! This product contains a chemical known to the State of California to cause cancer.

New Jersey Right to Know: The following components are listed on the New Jersey Right to Know list: Monopropylene glycol methyl ether, Etidronic acid, Phosphorous acid, 3-Iodo-2-propynyl butylcarbamate, 1,2,4-Trimethylbenzene, 1,3,5-trimethylbenzene, Dimethyl sulfoxide.

Pennsylvania Right to Know: The following components are listed on the Pennsylvania Right to Know list: Monopropylene glycol methyl ether, Etidronic acid, Phosphorous acid, 3-Iodo-2-propynyl butylcarbamate, 1,2,4-Trimethylbenzene, Dimethyl sulfoxide.

INTERNATIONAL REGULATIONS:

Canadian Regulations Class B2 Flammable Liquid. Class D2B: Toxic material causing other toxic effects.

Canadian Controlled Products Regulations (WHMIS): This product has been classified in accordance with the hazard criteria of the *Controlled Products Regulations* and the SDS contains all the information required by the *Controlled Products Regulations*.

SECTION 16: Other Information

Revision Date: April 30, 2021.

The information in this Safety Data Sheet is provided in good faith and is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance and is not to be considered a warranty or quality specification. User is responsible to evaluate all available information when using product for any particular use, including, if necessary, conducting any tests needed to determine the suitability of the product for a particular use. User is also responsible for compliance with all Federal, State,

Sta Brite P
SDS#: ISK002.

Provincial and Local laws and regulations. ISK Biocides, Inc. assumes no responsibility for injury, damage or loss resulting from the use of the material. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE, INCLUDING THAT THE INFORMATION OR PRODUCT MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS, ARE MADE HEREUNDER WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.

Sta Brite® is a registered trademark of ISK Americas Incorporated.