

SAFETY DATA SHEET

ISK BIOCIDES, INC.

SECTION 1: Identification

Product identifier: Woodguard Deck and Log Tint Base
Other means of identification: Woodguard D & L
SDS number: ISK-140
Recommended use: Experimental oil-based coating for Decks, Logs, Rails, Wood Fencing and Wood Roofing.
Recommended restrictions: None known.
Manufacturer/Importer/Supplier/Distributor information:
Company name: ISK Biocides, Inc.
Address: 416 East Brooks Road,
Memphis.
TN 38109.
Telephone: Office hours (Mon – Fri)
8:00 – 4:30pm (Central time).
(901) 344-5350 or (800) 248-7961.
Contact Person: Mark Richards.
E-mail: SDSInquiry@iskbiocides.com
Emergency phone number: Chemtrec (800) 424-9300 (24 hours).

SECTION 2: Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

Physical hazards:

No physical hazards are known for this product.

Health hazards:

H315 - Skin corrosion/irritation, Category 2
H320 - Serious eye damage/eye irritation, Category 2B
H351 - Carcinogenicity, Category 2
H361 - Reproductive toxicity, Category 2

Environmental hazards:

No environmental hazards are known for this product.

Signal word:

Warning

Hazard statement(s): Causes skin irritation.
Causes eye irritation.
Suspected of causing cancer.
Suspected of damaging fertility or the unborn child.

Hazard symbol(s):



Precautionary statement(s):

Prevention:

Wash hands thoroughly after handling. Do not touch eyes.
Wear protective gloves/protective clothing/eye protection/face protection.
Obtain, read and follow all safety instructions before use.

Response:

IF ON SKIN: Wash with plenty of water.
IF SKIN irritation occurs: get emergency medical help.
Take off contaminated clothing and wash it before reuse.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: get emergency medical help.
IF exposed or concerned: get medical advice.
Specific treatment can be found on product label.

Storage:

Store locked up.

Disposal:

Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations.

Hazard(s) not otherwise

Classified (HNOC): None known.

Percentage of ingredient(s) of unknown acute toxicity:

6% of the mixture consists of ingredients of unknown acute toxicity (oral/dermal/inhalation).

SECTION 3: Composition/information on ingredients

Mixture:

Chemical name	Concentration (weight %)	CAS#
Magnesium Silicate	< 1%	14807-96-6

Crystalline Silica, Quartz	< 1%	14808-60-7
Titanium Dioxide	< 1%	13463-67-7
Iron oxide	< 1%	1309-37-1
Ethoxylated Nonylphenol, Branched	< 1%	68412-54-4

SECTION 4: First-aid Measures

Inhalation: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Skin contact: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for treatment advice.

Eye contact: Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Ingestion: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

Most important symptoms/effects, acute and delayed: High concentrations or prolonged contact may result in stinging, redness, and tearing of the eyes. Can cause gastrointestinal irritation, nausea, vomiting, and diarrhea. May cause irritation to upper respiratory tract as evidenced by sneezing and coughing. May cause skin irritation or rash on prolonged or repeated contact. Contains components that are suspected of causing cancer.

Indication of immediate medical attention and special treatment needed: If any symptoms described above are noted, contact a physician and give them this SDS sheet.

SECTION 5: Fire-fighting measures

Suitable extinguishing media: Not combustible. Use suitable extinguishing media to fight surrounding fire.

Unsuitable extinguishing media: None known.

Specific hazards arising from the chemical: None known.
Hazardous combustion products may include: Oxides of Carbon and Nitrogen.

Special protective equipment and precautions for fire-fighters: Wear MSHA/NIOSH-approved, self-contained breathing apparatus and full protective clothing.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation.

Methods and materials for containment and cleaning up:

SMALL SPILL: Wear appropriate protective clothing (see Section 8). Recover free liquid. Absorb remainder with sand or clay and place in a waste receptacle.

LARGE SPILL: Wear appropriate protective clothing (see Section 8). Restrict access to contaminated area. Stop spill at source. Dike to prevent spreading. Pump liquid to a recovery vessel. Absorb remainder of material with sand or clay and place in a properly labeled waste receptacle. Follow all local, state, and federal regulations for disposal. Do not contaminate water while cleaning equipment or disposing of wastes. Prohibit contamination of streams, lakes, or other bodies of water.

SECTION 7: Handling and Storage

Precautions for safe handling: Observe good personal hygiene practices. Change protective gloves/clothing when signs of contamination appear.

Conditions for safe storage, including any incompatibles: Store away from food or feed in a secure, well-ventilated area protected from extreme temperatures. Do not transfer to an unmarked container. Keep container closed when not in use. Do not allow to freeze. Keep out of reach of children.

SECTION 8: Exposure controls/personal protection

Control Parameters: N/A

Occupational exposure limits:

US OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200): Permissible Exposure Limits		
Substance	PEL-TWA (8 hour)	PEL-STEL (15 min)
Magnesium Silicate	2 mg/m ³	None available
Crystalline Silica, Quartz	10/(% SiO ₂ + 2) mg/m ³ (Table Z3)	None available
Titanium Dioxide	15 mg/m ³	None available
Iron oxide	10 mg/m ³	None available
Ethoxylated Nonylphenol, Branched	Not available	Not available

ACGIH Threshold Limit Values		
Substance	TLV-TWA (8 hour)	TLV-STEL (15 min)
Magnesium Silicate	2 mg/m ³	None available
Crystalline Silica, Quartz	0.025 mg/m ³	None available
Titanium Dioxide	10 mg/m ³	None available
Iron oxide	5 mg/m ³	None available
Ethoxylated Nonylphenol, Branched	Not available	Not available

Other Exposure Limits: Magnesium Silicate NIOSH TWA – 2 mg/m³.
(National Institute for Occupational Safety and Health).

Crystalline Silica, Quartz NIOSH TWA – 0.05 mg/m³.
(National Institute for Occupational Safety and Health).

Iron Oxide NIOSH TWA – 5 mg/m³.
(National Institute for Occupational Safety and Health).

Appropriate engineering controls: Ventilate via mechanical methods (general or local exhaust) to maintain exposure below TLV(s), if applicable. Good industrial hygiene practice dictates that indoor work areas should be isolated and provided with adequate local exhaust ventilation. Wash hands before breaks and at the end of workday.

Individual protection measures, such as personal protective equipment:

Eye/face protection: Wear chemical splash goggles and/or face shield during mixing and when exposed to mist.

Skin and Hand protection: Wear rubber gloves when handling, using, or applying this product. Special precautions should be taken to ensure that material cannot get inside gloves.

Respiratory protection: If Threshold Limit Values, as defined by ACGIH, for product or any component is exceeded, use a MSHA/NIOSH-approved respirator.

Other: None normally required. Use as necessary to prevent exposure. Safety showers and eyewash stations should be provided in all areas in which this product is stored and/or handled. Persons exposed routinely to this material should shower prior to leaving work each day. Work clothing should be changed daily.

Thermal hazards: None known.

SECTION 9: Physical and chemical properties

Appearance:

Physical state: Liquid Dispersion.
Form: Thin Amber Liquid.
Color: Amber.

Odor: Faint amine/Solvent.

Odor threshold: Not available.

pH: Not Known

Melting point/freezing point: Not known.

Initial Boiling point/Boiling Range: Not known °F.

Flash point: Not Known °F.

Evaporation rate: < 1.

Flammability (solid, gas): Not available.

Upper/lower flammability or explosive limits

Flammability limit – lower: Not Known.
Flammability limit – upper: Not Known.
Explosive limit – lower: Not Known.
Explosive limit – upper: Not Known.

Vapor pressure: < Water.

Vapor density: > 1

Relative density (Specific gravity): 0.9304

Solubilities (water, other): Not soluble in water. Soluble in many solvents including paraffinic and naphthenic oils, Mineral Spirits, Xylene etc.

Partition coefficient (n-octanol/water): Not available.

Auto-ignition temperature: Not known.

Decomposition temperature: Not available.

Viscosity: 2 - 10 cPs Brookfield #1 @ 20 rpm at 70°F.

Other information:

Bulk density: 7.75 lbs per gal (weight per gallon cup).

VOC (Weight %): Not known grams/liter.

SECTION 10: Stability and Reactivity

Reactivity: Stable.

Chemical stability: This material is stable under normal handling and storage conditions.

Possibility of hazardous reactions: Material is not known to polymerize.

Conditions to avoid: None known.

Incompatible materials: Not known

Hazardous decomposition Products: Oxides of Carbon and Nitrogen.

SECTION 11: Toxicological information

Information on likely routes of exposure:

Inhalation: May cause irritation to upper respiratory tract as evidenced by sneezing

and coughing. Negligible hazard expected at ambient temperatures.

Ingestion: Can cause gastrointestinal irritation, nausea, vomiting, and diarrhea.

Skin: May cause skin irritation or rash on prolonged or repeated contact.

Eye: High concentrations or prolonged contact may result in stinging, redness, and tearing of the eyes.

Symptoms related to the physical, chemical, and toxicological characteristics: Some of the components are suspected of causing cancer.

Delayed and immediate effects and chronic effects from short or long-term exposure:
Some of the components are suspected of causing cancer.

Acute toxicity:

Ingredient Information:

Substance	Test Type (species)	Value
Magnesium Silicate	LD ₅₀ Oral	No data available
	LD ₅₀ Dermal	No data available
	LC ₅₀ Inhalation	No data available
Crystalline Silica, Quartz	LD ₅₀ Oral	No data available
	LD ₅₀ Dermal	No data available
	LC ₅₀ Inhalation, Dust	No data available
Titanium Dioxide	LD ₅₀ Oral	> 10000 mg/kg
	LD ₅₀ Dermal	> 10000 mg/kg
	LC ₅₀ Inhalation	No data available
Iron oxide	LD ₅₀ Oral	No data available
	LD ₅₀ Dermal	No data available
	LC ₅₀ Inhalation	No data available
Ethoxylated Nonylphenol, Branched	LD ₅₀ Oral (Rat)	1980 mg/kg
	LD ₅₀ Dermal (Rabbit)	No data available
	LC ₅₀ Inhalation, (Rat)	No data available

Product Acute Toxicity Estimates:

Oral: Rat - LD₅₀ - No data available.

Dermal: Rabbit - LD₅₀ - No data available.

Inhalation: Rat - LC₅₀ - No data available.

Skin corrosion/irritation:

Based upon information available on the known components, the product may cause skin irritation.

Serious eye damage/eye irritation:

Based upon information available on the known components, the product may cause eye irritation.

Respiratory sensitization:	Based upon information available on the known components, the product is not anticipated to cause respiratory sensitization.
Skin sensitization:	Based upon information available on the known components, the product is not anticipated to cause skin sensitization.
Germ cell mutagenicity:	Based upon information available on the known components, the product is not anticipated to be a mutagen.
Carcinogenicity:	Based upon information available on the known components, the product contains components that are suspected to be carcinogenic when present as a dust.
Reproductive toxicity:	Based upon information available on the known components, the product is not anticipated to cause reproductive toxicity.
Specific target organ toxicity- Single exposure:	Based upon information available on the known components, the product is not anticipated to cause specific target organ toxicity after single exposure.
Specific target organ toxicity- Repeat exposure:	Based upon information available on the known components, the product is not anticipated to cause specific target organ toxicity after repeated or prolonged exposure.
Aspiration hazard:	Based upon information available on the known components, the product is not anticipated to be an aspiration hazard.
Further information:	Not available.

SECTION 12: Ecological information

Ecotoxicity

Product data: No data available.

Ingredient Information:

Substance	Test Type	Species	Value

Magnesium Silicate	LC ₅₀	Fish	No data available
	EC ₅₀	Invertebrate	No data available
	LC ₅₀	Algae	No data available
Crystalline Silica, Quartz	LC ₅₀	Fish	No data available
	EC ₅₀	Invertebrate	No data available
	LC ₅₀	Algae	No data available
Titanium dioxide	LC ₅₀ other fish	Fish	> 1000 mg/l – 96h
	EC ₅₀ Daphnia magna (Water flea)	Invertebrate	> 1000 mg/l – 48h
	LC ₅₀	Algae	No data available
Iron oxide	LC ₅₀	Fish	No data available
	EC ₅₀	Invertebrate	No data available
	LC ₅₀	Algae	No data available
Ethoxylated Nonylphenol, Branched	LC ₅₀	Fish	No data available
	EC ₅₀	Invertebrate	No data available
	LC ₅₀	Algae	No data available

Persistence and degradability: Not available.
Bioaccumulative potential: Not available.
Mobility in soil: Not available.
Mobility in general: Not available.
Other adverse effects: None expected.

SECTION 13: Disposal considerations

Disposal instructions:

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Do not reuse empty container. Triple rinse container (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

SECTION 14: Transport Information

DOT: Not regulated under DOT.

IATA: Not regulated under IATA.

IMDG: Not regulated under IMDG.

Special precautions during transport: Not available.

Bill of lading classification: Paint and related material n.o.i.

SECTION 15: Regulatory Information

USA:

United States Federal Regulations: This SDS complies with the OSHA, 29 CFR 1910.1200. The product is hazardous under OSHA.

SARA Superfund and Reauthorization Act of 1986 Title III sections 302, 311,312 and 313:

Section 302 – No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

CERCLA/Superfund, 40 CFR 117, 302: Not listed.

CHEMICAL	C.A.S. Number	Weight %	Section 311/312
Magnesium Silicate	14807-96-6	< 1%	Chronic Health Hazard
Crystalline Silica, Quartz	14808-60-7	< 1%	Chronic Health Hazard
Titanium Dioxide (nanoparticles range in size from 1 to 150 nm).	13463-67-7	< 1%	Chronic Health Hazard
Iron oxide	1309-37-1	< 1%	Acute Health Hazard.
Ethoxylated Nonylphenol, Branched	68412-54-4	< 1%	Acute Health Hazard

Section 313 – List of Toxic Chemicals (40CFR 372): This product does not contain the chemicals (at level of 1% or greater) found on the 313 list of Toxic Chemicals.

Federal Water Pollution Control Act, Clean Water Act, 40 CFR 401.15 (formerly section 307) 40 CFR 116 (formerly section 311): This product does not contain listed chemicals.

STATE REGULATIONS:

This SDS contains specific health and safety data is applicable for state requirements. For details on your regulatory requirements, you should contact the appropriate agency in your state.

California Proposition 65: WARNING! This product contains a chemical known to the State of California to cause cancer when present as a dust: Magnesium Silicate, Crystalline Silica, Quartz, Titanium dioxide, nanoparticles range in size from 1 to 150 nm.

New Jersey Right to Know: The following components are listed on the New Jersey Right to Know list: Magnesium Silicate, Crystalline Silica, Quartz, Titanium dioxide, nanoparticles range in size from 1 to 150 nm, Iron oxide.

Pennsylvania Right to Know: The following components are listed on the Pennsylvania Right to Know list: Magnesium Silicate, Crystalline Silica, Quartz, Titanium dioxide, nanoparticles range in size from 1 to 150 nm, Iron oxide.

INTERNATIONAL REGULATIONS:

Canadian Regulations CLASS D2A - Very Toxic Material Causing Other Toxic Effects.
CLASS D2B - Very Toxic Material Causing Other Toxic Effects.

Canadian Controlled Products Regulations (WHMIS): This product has been classified in accordance with the hazard criteria of the *Controlled Products Regulations* and the SDS contains all the information required by the *Controlled Products Regulations*.

SECTION 16: Other Information

Revision Date: 01/06/2026

The information in this Safety Data Sheet is provided in good faith and is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance and is not to be considered a warranty or quality specification. User is responsible to evaluate all available information when using product for any particular use, including, if necessary, conducting any tests needed to determine the suitability of the product for a particular use. User is also responsible for compliance with all Federal, State, Provincial and Local laws and regulations. ISK Biocides, Inc. assumes no responsibility for injury, damage or loss resulting from the use of the material. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE, INCLUDING THAT THE INFORMATION OR PRODUCT MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS, ARE MADE HEREUNDER WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.